









Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<b>FLATBED</b> 	45K – 48K	Length: 45' – 53' Width: 8' 6" Height: up to 8' 6"
<b>3 AXLE FLATBED (FLT3)</b> 	43K – 45K	Length: 45' – 53' Width: 8' 6" Height: up to 8' 6"
<b>EXTENDABLE FLATBED (FLTE)</b> 	40K – 42K	Length: 45' – 115' Width: 8' 6" Height: up to 8' 6"
<b>3 AXLE EXTENDABLE FLATBED (FL3E)</b> 	38K – 40K	Length: 45' – 94' Width: 8' 6" Height: up to 8' 6"


Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<b>STEPDECK (DROPDECK)</b> 	43K – 46K	<u>Bottom Deck</u> Length: 37' – 43' Width: 8' 6" Height: up to 10' 6"
<b>3 AXLE STEPDECK (SD3)</b> 	40K – 43K	<u>Bottom Deck</u> Length: 37' – 43' Width: 8' 6" Height: up to 10' 6"
<b>EXTENDABLE STEPDECK (SDE)</b> 	42K – 44K	<u>Bottom Deck</u> Length: 38' – 61' Width: 8' 6" Height: up to 10' 6"
<b>3 AXLE EXTENDABLE STEPDECK (SD3E)</b> 	38K – 41K	<u>Bottom Deck</u> Length: 38' – 68' Width: 8' 6" Height: up to 10' 6"

## Equipment Type

Average Legal  
Acceptable Weights

Average Legal  
Acceptable Dims

### DOUBLE DROP/ DETACH (DD)



38K – 42K


#### Well Length

Length: 24' – 29' 6"

Width: 8' 6"

Height: up to 12'

### DOUBLE DROP/ DETACH (DD3)



37K – 40K


#### Well Length

Length: 24' – 29' 6"

Width: 8' 6"

Height: up to 12'

### LOWBOY/ R.G.N. (LOWB)



38K – 42K


#### Well Length

Length: 24' – 29' 6"

Width: 8' 6"

Height: up to 12'

### 3 AXLE LOWBOY/ R.G.N. (LOW3)



37K – 40K

#### Well Length

Length: 24' – 29' 6"

Width: 8' 6"


Height: up to 12'

## Equipment Type

Average Legal  
Acceptable Weights

Average Legal  
Acceptable Dims

### EXTENDABLE DOUBLE DROP/ DETACH (DDE)



37K – 40K

#### Well Length

Length: 26' – 52'

Width: 8' 6"

Height: up to 12'

### 3 AXLE EXTENDABLE DOUBLE DROP/ DETACH (DD3E)






34K – 37K

#### Well Length

Length: 26' – 52'

Width: 8' 6"


Height: up to 12'

Equipment Type	Capacity
<p>QUAD AXLE DOUBLE DROP/ DETACH (DD4)</p> 	<p>Well Length: 24' – 32'</p> <p>Weight: up to 120K</p>
<p>QUAD AXLE LOWBOY/ R.G.N. (LOW4)</p> 	<p>Well Length: 24' – 34'</p> <p>Weight: up to 120K</p>
<p>QUAD AXLE EXTENDABLE DOUBLE DROP/ DETACH (DD4E)</p> 	<p>Well Length: 26' – 54'</p> <p>Weight: up to 110K</p>



## Equipment Type


### MULTI-AXLE LOWBOY COMBINATION (LOW6)



#### Capacity

Well Length 24' -29'  
Weight Up to 150K


### MULTI-AXLE LOWBOY COMBINATION (LOW7)



#### Capacity

Well Length 24' -29'  
Weight Up to 150K

### MULTI-AXLE LOWBOY COMBINATION (LOW9)



#### Capacity

Well Length 26' -29'  
Weight Up to 160K

## Equipment Type

### MULTI-AXLE LOWBOY COMBINATION (LO6E)

#### Capacity

Well Length 24' - 51'  
Weight Up to 150K



### MULTI-AXLE LOWBOY COMBINATION (LO7E)

#### Capacity

Well Length 26' - 55'  
Weight Up to 150K



### MULTI-AXLE LOWBOY COMBINATION (LO9E)

#### Capacity

Well Length 26' - 87'  
Weight Up to 160K

